



TLC-1000-U3-5

USB PTZ Camera for Huddle Room

To Make Collaboration Easy and Affordable



TLC-1000-U3-5 is ideal used for video conferencing in the huddle room and small meeting space. It is equipped with Panasonic's advanced sensor, 5x optical zoom lens, 85 degree super wide angle, to output crystal clear image with realistic color, even in low light or high contrast of brightness and darkness environment.

It works with any of your favorite conferencing software, totally plug and play, use-friendly.

5x

85° FOV

USB3.0

1080p60

USB
Power

Compatible With






With Panasonic 5MP sensor, to deliver sharp and FHD image with realistic color; Support WDR, backlight compensation, noise reduction, to adjust image for different working environment



Uses truly 5x optical zoom lens, with super wide angle 85 degree wide angle FOV, to capture details in the meeting room



USB3.0 video output 1080p60 resolution, plug and play, work with any of your favorite video conferencing software



Matched with IR remote controller, to control PTZ movement, 10 presets and adjust functions as preference in the OSD menu



Power by USB3.0 port directly, a single USB3.0 cable to provide power, control and video



Smart, compact and decent mechanism, to bring smooth, silent and accurate PTZ movement, to make sure everyone is participated in the meeting.

Specification	
Mode Number	TLC-1000-U3-5
Camera	
Sensor	1/2.8 inch high quality, 5MP CMOS sensor
Video System	USB3.0: 1920*1080p60/50/30/25, 1280*720p30,1025*576p30,960*540p30,640*360p30,352*288p30 USB2.0: 1280*720p25,1025*576p30,960*540p30,640*360p30,352*288p30
Zoom	5x optical zoom+2x digital zoom
View Angle	85°
Focal Length	f＝3.1~15.5mm
Minimum LUX	0.1 LUX
S/N Rate	>50dB
White Balance	Auto/Manual/Indoor/Outdoor/Push/Sodium/Fluorescent
Electronic Shutter	Auto
Anti Flicker	50Hz/60Hz/OFF
BLC	Supported
Mechanism	
Pan Rotation Angle	-170° ~ +170°
Tilt Rotation Angle	-30° ~ +90°
Pan rotation speed	0°~120°/s
Titl rotation speed	0°~80°/s
Preset	128
Control Port	USB3.0/ RS232
Video Port	USB3.0
Input Voltage	DC12V/USB3.0
Dimension （L x Wx H）	148mm×132mm×161mm
Net Weight	0.8KG
Package Content	Camera, Remote Controller, RS232 cable, USB3.0 cable, Power Supply

Used For:



Back of TLC-1000-U3-5



Contact Malaysia Representative

Suite 8.01, Level 8, Menara Binjai, No. 2, Jalan Binjai, 50450, Kuala Lumpur

Tel: 03-8408-2244

Email: ask@connectb.net